



PERI 34 MAIN PARTICULARS

TYPE

VESSEL	COMPOSITE MOTORYACHT
HULL TYPE	V PLANING
CONSTRUCTION	GLASS REINFORCED EPOXY SANDWICH
CLASSIFICATION	RINA/MCA COMPLIANT

DIMENSIONS

LOA	34.00 M
LWL	28.00 M
MAX. BEAM	7.90 M
DRAFT (1/3 LADEN)	1.45 M
DISPLACEMENT (1/3 LADEN)	120 MT

CAPACITY

FUEL TANK CAPACITY	24000 L
FRESH WATER TANK CAPACITY	4000 L
WASTE WATER TANK CAPACITY	3000 L
WATERMAKER CAPACITY	330 L/H

ENGINES & PERFORMANCE

OPTION 1

MAKE & MODEL	2 X MTU 16V2000M91 2000 HP
GENERATORS	2 X KOHLER 50EFOZD 50 KW, 1 X FISCHER PANDA 8 KW
BOW THRUSTER	50 HP
MAX. SPEED	24 KNOTS
CRUISING SPEED	20 KNOTS
RANGE	UP TO 950 NM
SPEED/OVERLOAD	DECREASE OF 1 KNOT FOR EACH EXTRA 4 MT

OPTION 2

MAKE & MODEL	2 X MTU 16V2000M92 2250 HP
GENERATORS	2 X KOHLER 50EFOZD 50 KW, 1 X FISCHER PANDA 8 KW
BOW THRUSTER	50 HP
MAX. SPEED	26 KNOTS
CRUISING SPEED	22 KNOTS
RANGE	UP TO 950 NM
SPEED/OVERLOAD	DECREASE OF 1 KNOT FOR EACH EXTRA 4 MT

ACCOMODATION

NUMBER OF GUESTS	8 IN 4 CABINS
NUMBER OF CREW	5 IN 3 CABINS

DESIGN & ENGINEERING

EXTERIOR AND INTERIOR DESIGN	SCARO DESIGN
ENGINEERING	DIXON YACHT DESIGN
SCANTLING AND STRUCTURAL FEA	HIGH MODULUS